

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Notified Body Nr. 0370

No.

0370-CPR-1143

In compliance with Regulation (EU) Nr. 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

ROAD VERTICAL SIGNS. VARIABLE MESSAGE TRAFFIC SIGNS.

MODEL: **DEVA cc-xLxx xGI VX (B2, B4 & B6)**

Placed on the market under the name of:

FIXALIA ELECTRONIC SOLUTIONS, S.L.

C/ DEL MIG, 9 - POL. IND. PLA D'EN COLL
08110 MONTCADA I REIXAC (BARCELONA)

And produced in the manufacturing plant:

C/ DEL MIG, 8-8bis, 9, 10 - POL. IND. PLA D'EN COLL
08110 MONTCADA I REIXAC (BARCELONA)

C/ CASTELLÓ 21, 23, 25 - POL. IND. PLA D'EN COLL
08110 MONTCADA I REIXAC (BCN)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 12966-1:2005 + A1:2009

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 18th February 2011 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. It is confirmed and modified on 8th April 2022.

The monitoring assessment will be done before 30th April 2023

Bellaterra, 8th April 2022


LGAI Technological Center, S.A.

Xavier Ruiz Peña
Managing Director, Product Conformity B.U.



This document is not valid without its technical annex; whose number coincides with the number of certificate.

You can check the validity of this certificate on our website at: www.appluslaboratories.com/certified_products

The manufacturer, after the completion of the conformity assessment procedures and the declaration of performance, may affix the CE Marking under his responsibility



0370-CPR-1143

Annex according to **EN 12966-1:2005+A1:2009**

ROAD VERTICAL SIGNS. VARIABLE MESSAGE TRAFFIC SIGNS. PART 1: PRODUCT STANDARD.

DEVA cc-xLxx xGI VX

DEVA cc-xLxx xGI VX	Graphic matrix					Orthogonal matrix
	White	Yellow	Red	Green	Blue	Yellow
Colour	C2	C2	C2	C1	C2	C2
Luminance	L3/L3*	L3/L3*	L3/L3*	L3/L3*	L3/L3*	L3/L3*
Luminance Ratio	R2	R2	R2	R2	R2	R2
Beam width	B4	B4	B4	B4	B4	B4
Uniformity	PASS					
Temperature	T1/T2/T3					
Protection	P3 (IP 66)					
Pollution	D4					
Corrosion	PASS					
Vibrations	PASS					
Resistance to horizontal loads	WL7 DSL4 TDB1 TDT0					
Impact resistance	PASS					
Visible flicker	PASS					
Dangerous substances	PASS					

DEVA cc-xLxx xGI VX B2

DEVA cc-xLxx xGI VX B2	Graphic matrix					Orthogonal matrix
	White	Yellow	Red	Green	Blue	Yellow
Colour	C2	C2	C2	C1	C2	C2
Luminance	L3	L3	L3	L3	L3	L3
Luminance Ratio	R2	R2	R2	R2	R2	R2
Beam width	B2	B2	B2	B2	B2	B2
Uniformity	PASS					
Temperature	T1/T2/T3					
Protection	P3 (IP 66)					
Pollution	D4					
Corrosion	PASS					
Vibrations	PASS					
Resistance to horizontal loads	WL7 DSL4 TDB1 TDT0					
Impact resistance	PASS					
Visible flicker	PASS					
Dangerous substances	PASS					

0370-CPR-1143

DEVA cc-xLxx xGI VX B6

DEVA cc-xLxx xGI VX B6	Graphic matrix					Orthogonal matrix
	White	Yellow	Red	Green	Blue	Yellow
Colour	C2	C2	C2	C1	C2	C2
Luminance	L3	L3	L3	L3	L3	L3
Luminance Ratio	R2	R2	R2	R2	R1	R2
Beam width	B6	B6	B6	B6	B6	B6
Uniformity	PASS					
Temperature	T1/T2/T3					
Protection	P3 (IP 66)					
Pollution	D4					
Corrosion	PASS					
Vibrations	PASS					
Resistance to horizontal loads	WL7 DSL4 TDB1 TDT0					
Impact resistance	PASS					
Visible flicker	PASS					
Dangerous substances	PASS					